

**NOTES**

- 1.) ALL STL. MEMBERS COATED W/ ZINC RICH EPOXY THEN FINISHED W/ POLYESTER POWDER COATING.
- 2.) 1/2" X 3 3/4" EXPANSION ANCHOR BOLTS PROVIDED.

**WOOD OPTIONS**

- 'C' & BTR. DOUGLAS FIR KD S4S EE
- IPE S4S EE
- OTHER \_\_\_\_\_



PICNIC TABLE

DATE DRAWN : 9/16/13  
 DRAWN BY : ESS  
 DATE REV. : 11/4/15  
 REV. BY : JSB

REV.  
B

DRAWING NUMBER

464-68

SHEET  
1 OF 2

**NOTES:**

- 1.) DURING ASSEMBLY PROCEDURE;  
DO NOT COMPLETELY TIGHTEN HARDWARE.
- 2.) THE ACTUAL PARTS WILL NOT BE NUMBERED.  
NUMBERS ONLY APPLY TO DRAWING.
- 3.) UPON COMPLETION OF ASSEMBLY SQUARE  
ALL COMPONENTS THEN TIGHTEN ALL HARDWARE.
- 4.) MOUNT AND ANCHOR AS SPECIFIED.

**TOOLS REQ'D**

- 3/4" WRENCH
- 1/4" ALLEN WRENCH
- 3/16" ALLEN WRENCH
- DRILL
- 1/2" MASONRY DRILL BIT


**PARTS LIST**

ITEM	QTY	PART NO	DESCRIPTION
1	6	0-460-00-02	CONTOUR STRAP
2	4	0-460-60-03	71 3/4" ALUM EXTRUSION
3	1	0-464-00-01	TABLE SUPPORT
4	4	0-464-00-02	TABLE CONTOUR STRAP
5	1	0-464-68-01	WHLCHR TABLE SUPPORT
6	1	0-464-68-04	WHLCHR TABLE END PLATE
7	8	0-464-68-05	2" X 3" X 95" SLAT, WOOD
8	1	0-464-68L-06	95 3/4" LEFT ALUM EXTRUSION FOR WHLCHR TABLE
9	1	0-464-68R-06	95 3/4" RIGHT ALUM EXTRUSION FOR WHLCHR TABLE
10	6	0-57-60-01	2" X 3" X 71" WOOD INT'R SLAT
11	12	1-12-053	5/16" X 1 1/2" SS BTN SKT HD CAP SCR
12	4	1-12-116	5/16" X 1" SS BTN SKT HD CAP SCR
13	50	1-13-023	5/16" X 1 1/2" SS BTN SKT HD LAG
14	50	1-22-017	5/16" SS FLAT WASHER


**KITS PROVIDED**

ITEM	QTY	PART NO	DESCRIPTION
15	1	K-ANC0860-4	1/2" X 3 3/4" SS ANCHOR KIT (4PC)
16	1	K-BC0516-4	5/16" CAP HARDWARE KIT (4PC)
17	2	K-BC0524-6	5/16" CAP HARDWARE KIT (6PC)
18	1	K-BL0524-42	5/16" LAG HARDWARE KIT (42PC)


**1** ATTACH SLATS TO CONTOUR STRAPS.



**2** ATTACH 3 ALUM. EXTRUSIONS AS SHOWN, TO LEFT & RIGHT TABLE SUPPORTS, ENSURE PINS ARE IN "L" SLOTS.



**3** INSERT STEP 1 INTO STEP 2, USING SLOTS ON ALUM. EXTRUSION.



**4** ATTACH 3 REMAINING ALUM. EXTRUSIONS & END PLATE TO SUPPORTS, AS IN STEP 2. UPON COMPLETION OF TABLE ASSEMBLY SQUARE ALL COMPONENTS THEN TIGHTEN ALL HARDWARE.

